



TURF SPEC INFORMATION



706-226-2625

1800 E MORRIS ST,
DALTON, GA 30721



HYDRO-PET 50

KEY FEATURES

- 100% drainage backing system - drains at >600 in/hr
- Water and waste drain directly through the backing – Fast drainage and our exclusive backing reduces pet odors and kills bacteria
- Thermally stable, wrinkle free backing
- Fiber Cooling Technology - lowers lawn surface temperature
- Created with an incredible tuft bind; dogs won't be able to dig through the extremely tough backing
- Enhanced fiber memory creates increased resilience while giving a soft feel and realistic look



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	POLYETHYLENE MONOFILAMENT & POLYPROPYLENE
YARN COLOR:	SPORT GREEN, APPLE GREEN, & OLIVE GREEN
THATCH COLOR:	FIELD GREEN & TAN
WEIGHT:	50 OZ/SY
PILE HEIGHT:	1"
BACKING:	16 OZ BLACK URETHANE
WARRANTY:	15 YEAR PRO RATED WARRANTY





HYDR0-PET 50

AATCC 134 - ANTI-STATIC	N/A
ASTM C1028 - STATIC/FRICTION	N/A
ASTM D1335 - TUFT BIND	12 LB
ASTM F2765 - LEAD LEVELS	<0.01 PPM
ASTM D2859 - FLAMMABILITY (PILL TEST)	PASS
ASTM E648 - FLAMMABILITY (CRITICAL RADIANT FLUX)	CLASS I
ASTM 5034 - GRAB TEAR STRENGTH	N/A
ASTM F1951 - ADA WHEELCHAIR	N/A
ASTM F1551 - WATER PERMEABILITY	>600 IN/HR
ASTM E108 - FIRE TEST (ROOF DECKS)	N/A
ASTM E84 - SURFACE FLAMMABILITY/SMOKE DENSITY	N/A
ASTM 1292 - IMPACT ATTENUATION	PASS





HYDRO-PET 75

KEY FEATURES

- 100% drainage backing system - drains at >600 in/hr
- Water and waste drain directly through the backing – Fast drainage and our exclusive backing reduces pet odors and kills bacteria
- Thermally stable, wrinkle free backing
- Fiber Cooling Technology - lowers lawn surface temperature
- Created with an incredible tuft bind; dogs won't be able to dig through the extremely tough backing
- Enhanced fiber memory creates increased resilience while giving a soft feel and realistic look



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	POLYETHYLENE MONOFILAMENT & POLYPROPYLENE
YARN COLOR:	SPORT GREEN, APPLE GREEN, & OLIVE GREEN
THATCH COLOR:	FIELD GREEN & TAN
WEIGHT:	75 OZ/SY
PILE HEIGHT:	1 3/4"
BACKING:	16 OZ BLACK URETHANE
WARRANTY:	15 YEAR PRO RATED WARRANTY





HYDRO-PET 75

AATCC 134 - ANTI-STATIC	N/A
ASTM C1028 - STATIC/FRICTION	N/A
ASTM D1335 - TUFT BIND	12 LB
ASTM F2765 - LEAD LEVELS	<0.01 PPM
ASTM D2859 - FLAMMABILITY (PILL TEST)	PASS
ASTM E648 - FLAMMABILITY (CRITICAL RADIANT FLUX)	CLASS I
ASTM 5034 - GRAB TEAR STRENGTH	N/A
ASTM F1951 - ADA WHEELCHAIR	N/A
ASTM F1551 - WATER PERMEABILITY	>600 IN/HR
ASTM E108 - FIRE TEST (ROOF DECKS)	N/A
ASTM E84 - SURFACE FLAMMABILITY/SMOKE DENSITY	N/A
ASTM 1292 - IMPACT ATTENUATION	PASS





HYDRO-PET 90

KEY FEATURES

- 100% drainage backing system - drains at >600 in/hr
- Water and waste drain directly through the backing – Fast drainage and our exclusive backing reduces pet odors and kills bacteria
- Thermally stable, wrinkle free backing
- Fiber Cooling Technology - lowers lawn surface temperature
- Created with an incredible tuft bind; dogs won't be able to dig through the extremely tough backing
- Enhanced fiber memory creates increased resilience while giving a soft feel and realistic look



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	POLYETHYLENE MONOFILAMENT & POLYPROPYLENE
YARN COLOR:	SPORT GREEN, APPLE GREEN, & OLIVE GREEN
THATCH COLOR:	FIELD GREEN & TAN
WEIGHT:	90 OZ/SY
PILE HEIGHT:	1 7/8"
BACKING:	16 OZ BLACK URETHANE
WARRANTY:	15 YEAR PRO RATED WARRANTY





HYDRO-PET 90

AATCC 134 - ANTI-STATIC	N/A
ASTM C1028 - STATIC/FRICTION	N/A
ASTM D1335 - TUFT BIND	12 LB
ASTM F2765 - LEAD LEVELS	<0.01 PPM
ASTM D2859 - FLAMMABILITY (PILL TEST)	PASS
ASTM E648 - FLAMMABILITY (CRITICAL RADIANT FLUX)	CLASS I
ASTM 5034 - GRAB TEAR STRENGTH	N/A
ASTM F1951 - ADA WHEELCHAIR	N/A
ASTM F1551 - WATER PERMEABILITY	>600 IN/HR
ASTM E108 - FIRE TEST (ROOF DECKS)	N/A
ASTM E84 - SURFACE FLAMMABILITY/SMOKE DENSITY	N/A
ASTM 1292 - IMPACT ATTENUATION	PASS





LANDSCAPE FESCUE TAN

KEY FEATURES

- Micro Profile Blade Technology- Minimizes light reflection
- Enhanced fiber memory creates increased resilience, while giving a soft feel and realistic look. Perfect for high traffic areas
- Thermally stable, wrinkle free backing
- Fiber Cooling Technology - lowers lawn surface temperature



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	POLYETHYLENE
YARN COLOR:	SPORT GREEN, APPLE GREEN, & OLIVE GREEN
THATCH COLOR:	FIELD GREEN & TAN
WEIGHT:	35 OZ/SY
PILE HEIGHT:	1 3/8"
BACKING:	BLACK URETHANE
WARRANTY:	8 YEAR PRO RATED WARRANTY





LANDSCAPE FESCUE

KEY FEATURES

- Micro Profile Blade Technology- Minimizes light reflection
- Enhanced fiber memory creates increased resilience, while giving a soft feel and realistic look. Perfect for high traffic areas
- Thermally stable, wrinkle free backing
- Fiber Cooling Technology - lowers lawn surface temperature



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	POLYETHYLENE
YARN COLOR:	FIELD GREEN & OLIVE GREEN
THATCH COLOR:	FIELD GREEN
WEIGHT:	40 OZ/SY
PILE HEIGHT:	1"
BACKING:	BLACK URETHANE
WARRANTY:	8 YEAR PRO RATED WARRANTY





NYLON SUPERIOR 47

KEY FEATURES

- 100% New Proprietary Nylon yarn construction delivers superior performance that is "Soft as Poly, Strong as Nylon".
- NO INFILL REQUIRED! Fiber and turf design keeps fibers upright even in heavy use areas.
- Class A Fire Rating- the only turf warranted against reflective burns from Low E Windows.
- Certified for all indoor applications and exterior rooftops.
- 100% ADA wheelchair compliant and meets safety standards!



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	100% NYLON
YARN COLOR:	VERDE & LIME GREEN
THATCH COLOR:	VERDE GREEN TAN
WEIGHT:	47 OZ/SY
PILE HEIGHT:	1-3/8"
BACKING:	26 OZ BLACK URETHANE
WARRANTY:	15 YEAR PRO RATED WARRANTY

706.226.2625 | WWW.VALUECARPETSINC.COM





NYLON SUPERIOR 47

AATCC 134 - ANTI-STATIC	PASS
ASTM C1028 - STATIC/FRICTION	PASS
ASTM D1335 - TUFT BIND	16.5 LB
ASTM F2765 - LEAD LEVELS	<0.01 PPM
ASTM D2859 - FLAMMABILITY (PILL TEST)	PASS
ASTM E648 - FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
ASTM 5034 - GRAB TEAR STRENGTH	PASS
ASTM F1951 - ADA WHEELCHAIR	COMPLIANT
ASTM F1551 - WATER PERMEABILITY	>500 IN/HR
ASTM E108 - FIRE TEST (ROOF DECKS)	CLASS A
ASTM E84 - SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
ASTM 1292 - IMPACT ATTENUATION	PASS





NYLON SUPERIOR 65

KEY FEATURES

- 100% New Proprietary Nylon yarn construction delivers superior performance that is "Soft as Poly, Strong as Nylon".
- NO INFILL REQUIRED! Fiber and turf design keeps fibers upright even in heavy use areas.
- Class A Fire Rating- the only turf warranted against reflective burns from Low E Windows.
- Certified for all indoor applications and exterior rooftops.
- 100% ADA wheelchair compliant and meets safety standards!



RECOMMENDED APPLICATIONS



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	NYLON
YARN COLOR:	VERDE & LIME GREEN
THATCH COLOR:	VERDE GREEN TAN
WEIGHT:	65 OZ/SY
PILE HEIGHT:	1-5/8"
BACKING:	BLACK URETHANE
WARRANTY:	15 YEAR PRO RATED WARRANTY

844.368.4765 | WWW.VALUECARPETSINC.COM





NYLON SUPERIOR 65

AATCC 134 - ANTI-STATIC	PASS
ASTM C1028 - STATIC/FRICTION	PASS
ASTM D1335 - TUFT BIND	16.5 LB
ASTM F2765 - LEAD LEVELS	<0.01 PPM
ASTM D2859 - FLAMMABILITY (PILL TEST)	PASS
ASTM E648 - FLAMMABILITY (CRITICAL RADIANT FLUX)	PASS
ASTM 5034 - GRAB TEAR STRENGTH	PASS
ASTM F1951 - ADA WHEELCHAIR	COMPLIANT
ASTM F1551 - WATER PERMEABILITY	>500 IN/HR
ASTM E108 - FIRE TEST (ROOF DECKS)	CLASS A
ASTM E84 - SURFACE FLAMMABILITY/SMOKE DENSITY	CLASS C
ASTM 1292 - IMPACT ATTENUATION	PASS





REALPUT T BICOLOR NYLON (NR) OR (PU)

KEY FEATURES

- 100% Nylon Yarns - Delivers superior, long lasting performance
- Top selling Non-directional putting green designed to provide smooth, non-chatter ball roll
- Highest Quality Primary Backing - Thermally stable and wrinkle free
- Manufactured with two different green blade colors(2C) providing a fresh natural look
- Finished with Natural Rubber (NR) or Polyurethane (PU) secondary backing
- Naturally Stimps between 10-12 with no sand infill
- Enhanced fiber memory creates increased resilience while giving a soft feel and realistic look



RECOMMENDED APPLICATION



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	100% NYLON
YARN COLOR:	VERDE & LIME GREEN(2C)
WEIGHT:	36 OZ/SY
PILE HEIGHT:	3/8"
PRIMARY BACKING:	K29 DUAL LAYER
SECONDARY BACKING:	WHITE NATURAL RUBBER (NR) & POLYURETHANE (PU)
WARRANTY:	15 YEAR PRORATED WARRANTY





REALPUT T TRICOLOR NYLON (NR) OR (PU)

KEY FEATURES

- 100% Nylon Yarns - Delivers superior, long lasting performance
- Top selling Non-directional putting green designed to provide smooth, non-chatter ball roll
- Highest Quality Primary Backing - Thermally stable and wrinkle free
- Manufactured with three different blade colors(3C) providing a fresh but realistic look
- Finished with Natural Rubber (NR) or Polyurethane (PU) secondary backing
- Naturally Stimps between 10 -12 with no sand infill
- Enhanced fiber memory creates increased resilience while giving a soft feel and realistic look



RECOMMENDED APPLICATION



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	100% NYLON
YARN COLOR:	VERDE, LIME GREEN & TAN(3C)
WEIGHT:	36 OZ/SY
PILE HEIGHT:	3/8"
PRIMARY BACKING:	K29 DUAL LAYER
SECONDARY BACKING:	WHITE NATURAL RUBBER(NR) & POLYURETHANE (PU)
WARRANTY:	15 YEAR PRORATED WARRANTY





TEELINE PLATINUM

KEY FEATURES

- 100% Nylon Yarns - Delivers superior, long lasting performance
- Top selling Tee-Line Product - Holds a Wooden Tee for natural hitting experience
- Hit Irons and Woods with natural lie - Doesn't leave marks on clubs
- Highest Quality Primary Backing - Thermally stable and wrinkle free
- Finished with Black Urethane secondary backing



RECOMMENDED APPLICATION



FOOT TRAFFIC



PRODUCT SPECIFICATIONS

YARN TYPE:	100% NYLON
YARN COLOR:	TURF GREEN
WEIGHT:	100 OZ/SY
PILE HEIGHT:	1"
PRIMARY BACKING:	K29 DUAL LAYER
SECONDARY BACKING:	BLACK URETHANE
WARRANTY:	15 YEAR PRORATED WARRANTY





Faith Based in Dalton GA Veteran Owned

Our Mission

- **Value:** We own the manufacturing process, ensuring cost-effective production and same-day shipping with a large inventory.
- **Quality:** With over six decades of expertise, our products meet the highest standards and are trusted by thousands of customers.
- **Integrity:** Lifelong relationships with vendors and distributors are built on unwavering trust and honesty.